

## 檢測報告

21-0113-036-01

第1頁, 共5頁

香草園生活事業股份有限公司

樣品名稱：白殼蛋

樣品批號：-

包裝型態：完整包裝

數量/重量：10 個

保存方式：常溫

製造廠商/國內負責廠商：-

檢測委託單位：香草園生活事業股份有限公司

檢測委託單位地址：台南市新化區山腳里頂山腳 53 號

其它資訊：冷藏白鮮蛋、高優質白鮮蛋、初窩卵白殼蛋、優生白殼蛋、純粹吃好蛋(白殼)、A++優質白鮮蛋、香草園洗選蛋、歐嗨優重量級白鮮蛋、向陽喫好蛋(白殼)、香草園鮮雞蛋、旭玉子、香草園 QQ 鮮饌(白殼蛋)、源喫白卵、初心卵(初生白蛋)、香草園旭玉子(白殼雞蛋)

收樣日期：2021/01/13

檢驗日期：2021/01/13 ~ 2021/01/22

報告日期：2021/01/22

製造日期：-

有效日期：-

聯絡人電話：(06)5900315

聯絡人姓名：鍾小如

檢測項目	結果	定量/偵測極限
動物用藥多重殘留分析(48 品項)	N.D. (未檢出)	參考附表-蛋類產品 <sup>b</sup>
Clarithromycin	N.D. (未檢出)	0.001 µg/g (ppm)
紅黴素	N.D. (未檢出)	0.001 µg/g (ppm)
Josamycin	N.D. (未檢出)	0.005 µg/g (ppm)
北里黴素	N.D. (未檢出)	0.01 µg/g (ppm)
Natamycin	N.D. (未檢出)	0.01 µg/g (ppm)
Neospiramycin I	N.D. (未檢出)	0.01 µg/g (ppm)
歐黴素	N.D. (未檢出)	0.005 µg/g (ppm)
史黴素 I	N.D. (未檢出)	0.01 µg/g (ppm)

報告簽署人



1. 本測試未涉及檢體抽樣，測試樣品及相關資訊係由委託檢驗者提供，實驗室僅負責檢測分析，本報告僅對該測試樣品有效。  
This test is exclusive of sampling. Tested sample and sample information listed are provided by the applicant. Tentamus only takes charge of sample testing, and this report refers only to the tested sample.
2. 本報告記載事項僅作為參考資料，不得作為任何商業推銷廣告及訴訟用。  
This report is for reference only and cannot be for any commercial purposes or litigation.
3. 本報告經塗改者無效；本報告內容不得部份複製，僅限整份使用。  
This report will be invalid if altered. This report is not permitted to be duplicated in extracts.
4. 檢驗報告僅就委託者之委託事項提供檢驗結果，不對產品合法性作判斷。  
This report states test results in accordance with the applicant's request, and does not judge the legitimacy of the product.

## 檢測報告

**21-0113-036-01**

第2頁, 共5頁

香草園生活事業股份有限公司

樣品名稱：白殼蛋

樣品批號：-

包裝型態：完整包裝

數量/重量：10 個

保存方式：常溫

製造廠商/國內負責廠商：-

檢測委託單位：香草園生活事業股份有限公司

檢測委託單位地址：台南市新化區山腳里頂山腳 53 號

其它資訊：冷藏白鮮蛋、高優質白鮮蛋、初窩卵白殼蛋、優生白殼蛋、純粹吃好蛋(白殼)、A++優質白鮮蛋、香草園洗選蛋、歐嗨優重量級白鮮蛋、向陽喫好蛋(白殼)、香草園鮮雞蛋、旭玉子、香草園 QQ 鮮饌(白殼蛋)、源喫白卵、初心卵(初生白蛋)、香草園旭玉子(白殼雞蛋)

收樣日期：2021/01/13

檢驗日期：2021/01/13 ~ 2021/01/22

報告日期：2021/01/22

製造日期：-

有效日期：-

聯絡人電話：(06)5900315

聯絡人姓名：鍾小如

檢測項目	結果	定量/偵測極限
Tilmicosin	N.D. (未檢出)	0.01 µg/g (ppm)
泰黴素	N.D. (未檢出)	0.01 µg/g (ppm)
純黴素	N.D. (未檢出)	0.005 µg/g (ppm)
Cefoperazone	N.D. (未檢出)	0.01 µg/g (ppm)
Mecillinam	N.D. (未檢出)	0.01 µg/g (ppm)
Clindamycin	N.D. (未檢出)	0.001 µg/g (ppm)
林可黴素	N.D. (未檢出)	0.001 µg/g (ppm)
Orbifloxacin	N.D. (未檢出)	0.005 µg/g (ppm)

~~~以下空白~~~

1. 本測試未涉及檢體抽樣，測試樣品及相關資訊係由委託檢驗者提供，實驗室僅負責檢測分析，本報告僅對該測試樣品有效。  
This test is exclusive of sampling. Tested sample and sample information listed are provided by the applicant. Tentamus only takes charge of sample testing, and this report refers only to the tested sample.
2. 本報告記載事項僅作為參考資料，不得作為任何商業推銷廣告及訴訟用。  
This report is for reference only and cannot be for any commercial purposes or litigation.
3. 本報告經塗改者無效；本報告內容不得部份複製，僅限整份使用。  
This report will be invalid if altered. This report is not permitted to be duplicated in extracts.
4. 檢驗報告僅就委託者之委託事項提供檢驗結果，不對產品合法性作判斷。  
This report states test results in accordance with the applicant's request, and does not judge the legitimacy of the product.

## 檢測報告

21-0113-036-01

第3頁, 共5頁

香草園生活事業股份有限公司

### 檢測方法：

1.動物用藥多重殘留分析(48 品項)：

參考 A multi-residue cation-exchange clean up procedure for basic drugs in produce of animal origin. Analytica chimica Acta.(2005):547,262~271.

2.Clarithromycin，紅黴素，Josamycin，北里黴素，Natamycin，Neospiramycin I，歐黴素，史黴素 I，Tilmicosin，泰黴素，純黴素，Cefoperazone，Mecillinam，Clindamycin，林可黴素，Orbifloxacin：

參考 A multi-residue cation-exchange clean up procedure for basic drugs in produce of animal origin. Analytica chimica Acta.(2005):547,262~271.



1. 本測試未涉及檢體抽樣，測試樣品及相關資訊係由委託檢驗者提供，實驗室僅負責檢測分析，本報告僅對該測試樣品有效。  
This test is exclusive of sampling. Tested sample and sample information listed are provided by the applicant. Tentamus only takes charge of sample testing, and this report refers only to the tested sample.
2. 本報告記載事項僅作為參考資料，不得作為任何商業推銷廣告及訴訟用。  
This report is for reference only and cannot be for any commercial purposes or litigation.
3. 本報告經塗改者無效；本報告內容不得部份複製，僅限整份使用。  
This report will be invalid if altered. This report is not permitted to be duplicated in extracts.
4. 檢驗報告僅就委託者之委託事項提供檢驗結果，不對產品合法性作判斷。  
This report states test results in accordance with the applicant's request, and does not judge the legitimacy of the product.

## 檢測報告

21-0113-036-01

第4頁, 共5頁

香草園生活事業股份有限公司

樣品照片：



**Tentamus**  
Labs for Life

1. 本測試未涉及檢體抽樣，測試樣品及相關資訊係由委託檢驗者提供，實驗室僅負責檢測分析，本報告僅對該測試樣品有效。  
This test is exclusive of sampling. Tested sample and sample information listed are provided by the applicant. Tentamus only takes charge of sample testing, and this report refers only to the tested sample.
2. 本報告記載事項僅作為參考資料，不得作為任何商業推銷廣告及訴訟用。  
This report is for reference only and cannot be for any commercial purposes or litigation.
3. 本報告經塗改者無效；本報告內容不得部份複製，僅限整份使用。  
This report will be invalid if altered. This report is not permitted to be duplicated in extracts.
4. 檢驗報告僅就委託者之委託事項提供檢驗結果，不對產品合法性作判斷。  
This report states test results in accordance with the applicant's request, and does not judge the legitimacy of the product.

# 檢測報告

## 21-0113-036-01

第5頁, 共5頁

香草園生活事業股份有限公司

附表

| 項次 | 分析物                     |                       | 定量極限 µg/g(ppm)    |                   |                    |                  |
|----|-------------------------|-----------------------|-------------------|-------------------|--------------------|------------------|
|    | 英文名稱                    | 中文名稱                  | 禽畜產品 <sup>a</sup> | 蛋類產品 <sup>b</sup> | 水產加工品 <sup>c</sup> | 乳製品 <sup>d</sup> |
| 1  | Azaperol                | Azaperol              | 0.01              | 0.02              | 0.01               | 0.01             |
| 2  | Azaperone               | Azaperone             | 0.01              | 0.02              | 0.01               | 0.01             |
| 3  | Carazolol               | Carazolol             | 0.002             | 0.01              | 0.002              | 0.002            |
| 4  | Ciprofloxacin           | 西氟沙星                  | 0.01              | 0.02              | 0.01               | 0.01             |
| 5  | Clopidol                | 氯吡啶                   | 0.05              | 0.1               | 0.01               | 0.01             |
| 6  | Danofloxacin            | 大安氟喹啉羧酸               | 0.01              | 0.02              | 0.01               | 0.01             |
| 7  | Dicyclanil              | Dicyclanil            | 0.01              | 0.02              | 0.01               | 0.01             |
| 8  | Difloxacin              | 二氟喹啉羧酸                | 0.01              | 0.02              | 0.01               | 0.01             |
| 9  | Enrofloxacin            | 恩氟喹啉羧酸                | 0.01              | 0.02              | 0.01               | 0.01             |
| 10 | Eprinomectin            | Eprinomectin          | 0.01              | 0.05              | 0.05               | 0.01             |
| 11 | Ethopabate              | 衣索巴                   | 0.01              | 0.02              | 0.01               | 0.01             |
| 12 | Fleroxacin              | Fleroxacin            | 0.01              | 0.02              | 0.01               | 0.01             |
| 13 | Fluazuron               | Fluazuron             | 0.05              | 0.1               | 0.05               | 0.05             |
| 14 | Flumequine              | 氟滅菌                   | 0.01              | 0.02              | 0.01               | 0.01             |
| 15 | Lomefloxacin            | Lomefloxacin          | 0.01              | 0.02              | 0.01               | 0.01             |
| 16 | Marbofloxacin           | Marbofloxacin         | 0.01              | 0.02              | 0.01               | 0.01             |
| 17 | Morantel                | 摩朗得                   | 0.01              | 0.02              | 0.01               | 0.01             |
| 18 | Nalidixic acid          | 那利得酸                  | 0.01              | 0.02              | 0.01               | 0.01             |
| 19 | Norfloxacin             | 諾氟喹啉羧酸                | 0.01              | 0.02              | 0.01               | 0.01             |
| 20 | Ormetoprim              | 歐美德普                  | 0.05              | 0.05              | 0.05               | 0.05             |
| 21 | Oxolinic acid           | 歐索林酸                  | 0.01              | 0.02              | 0.01               | 0.01             |
| 22 | Pefloxacin              | Pefloxacin            | 0.01              | 0.02              | 0.01               | 0.01             |
| 23 | Pipemidic acid          | Pipemidic acid        | 0.01              | 0.02              | 0.01               | 0.01             |
| 24 | Piromidic acid          | Piromidic acid        | 0.01              | 0.02              | 0.01               | 0.01             |
| 25 | Sarafloxacin            | 沙拉氟喹啉羧酸               | 0.005             | 0.02              | 0.01               | 0.01             |
| 26 | Succinylsulfathiazole   | Succinylsulfathiazole | 0.01              | 0.02              | 0.01               | 0.01             |
| 27 | Sulfabenzamide          | Sulfabenzamide        | 0.01              | 0.02              | 0.01               | 0.01             |
| 28 | Sulfacetamide           | 乙醯磺胺                  | 0.01              | 0.02              | 0.01               | 0.01             |
| 29 | Sulfachlorpyridazine    | 磺胺氯吡嗪                 | 0.02              | 0.02              | 0.01               | 0.01             |
| 30 | Sulfadiazine            | 磺胺噻啶                  | 0.01              | 0.02              | 0.01               | 0.01             |
| 31 | Sulfadimethoxine        | 磺胺二甲氧噻啶               | 0.01              | 0.02              | 0.01               | 0.01             |
| 32 | Sulfadoxine             | 磺胺鄰二甲氧噻啶              | 0.01              | 0.02              | 0.01               | 0.01             |
| 33 | Sulfaethoxy pyridazine  | 磺胺乙氧吡嗪                | 0.01              | 0.02              | 0.01               | 0.01             |
| 34 | Sulfaguanidine          | 磺胺胍                   | 0.01              | 0.02              | 0.01               | 0.01             |
| 35 | Sulfamerazine           | 磺胺甲基噻啶                | 0.01              | 0.02              | 0.01               | 0.01             |
| 36 | Sulfamer                | 磺胺噻特                  | 0.01              | 0.02              | 0.01               | 0.01             |
| 37 | Sulfamethazine          | 磺胺二甲基噻啶               | 0.01              | 0.02              | 0.01               | 0.01             |
| 38 | Sulfamethizole          | Sulfamethizole        | 0.01              | 0.02              | 0.01               | 0.01             |
| 39 | Sulfamethoxazole        | 磺胺甲基噁唑                | 0.01              | 0.02              | 0.01               | 0.01             |
| 40 | Sulfamethoxy pyridazine | 磺胺甲氧吡嗪                | 0.01              | 0.02              | 0.01               | 0.01             |
| 41 | Sulfamonomethoxine      | 磺胺一甲氧噻啶               | 0.01              | 0.02              | 0.01               | 0.01             |
| 42 | Sulfapyridine           | 磺胺吡啶                  | 0.01              | 0.02              | 0.01               | 0.01             |
| 43 | Sulfaquinoxaline        | 磺胺喹啉                  | 0.01              | 0.02              | 0.01               | 0.01             |
| 44 | Sulfathiazole           | 磺胺噻唑                  | 0.01              | 0.02              | 0.01               | 0.01             |
| 45 | Sulfatroxazole          | Sulfatroxazole        | 0.01              | 0.02              | 0.01               | 0.01             |
| 46 | Tetramisole             | Tetramisole           | 0.01              | 0.02              | 0.01               | 0.01             |
| 47 | Trichlorfon             | 三氯仿                   | 0.01              | 0.02              | 0.005              | 0.01             |
| 48 | Trimethoprim            | 三甲氧苄氨嘧啶               | 0.01              | 0.02              | 0.01               | 0.01             |

- 本測試未涉及檢體抽樣，測試樣品及相關資訊係由委託檢驗者提供，實驗室僅負責檢測分析，本報告僅對該測試樣品有效。  
This test is exclusive of sampling. Tested sample and sample information listed are provided by the applicant. Tentamus only takes charge of sample testing, and this report refers only to the tested sample.
- 本報告記載事項僅作為參考資料，不得作為任何商業推銷廣告及訴訟用。  
This report is for reference only and cannot be for any commercial purposes or litigation.
- 本報告經塗改者無效；本報告內容不得部份複製，僅限整份使用。  
This report will be invalid if altered. This report is not permitted to be duplicated in extracts.
- 檢驗報告僅就委託者之委託事項提供檢驗結果，不對產品合法性作判斷。  
This report states test results in accordance with the applicant's request, and does not judge the legitimacy of the product.